

Assisting Students with Severe Allergies:
Epinephrine Auto-injector Training Module
Post Test B

Circle the best response for completing each sentence.

1. Anaphylaxis may be caused by:
 - a. insect bites or stings.
 - b. foods.
 - c. medications.
 - d. latex.
 - e. all of the above.

2. Signs and symptoms of anaphylaxis include:
 - a. itchy skin and hives.
 - b. swelling or flushing of the lips, throat, and tongue.
 - c. wheezing, shortness of breath, coughing, hoarseness, and/or loss of consciousness.
 - d. all of the above.

3. The recommended injection site for an epinephrine auto-injector is the:
 - a. right arm.
 - b. abdomen.
 - c. outer thigh.
 - d. buttocks.

4. After using an epinephrine auto-injector you should:
 - a. dispose of the used auto-injector in the trash can.
 - b. send the used auto-injector to the emergency facility with the student.
 - c. dispose of the used auto-injector in the sharps container.
 - d. send the used auto-injector to the student's parent.

5. The purpose of training responsible persons in a school regarding how to use the epinephrine auto-injector is:
 - a. to give them something to do in their spare time.
 - b. to satisfy the school district's staff training requirements.
 - c. to enable them to save a student's life in an emergency.
 - d. because parents have demanded the training.

Circle whether each statement is true or false.

6. You do not need to call EMS (911) after using the epinephrine auto-injector.
True
False

7. Anaphylaxis is a life threatening emergency.
True
False

8. Clothing must be removed before using the epinephrine auto-injector.
True
False
9. The epinephrine auto-injector must be held firmly in the thigh muscle for at least 15 minutes.
True
False
10. The epinephrine auto-injector should be refrigerated.
True
False